How to Turn Off Automatic Java Updates

To turn off the JRE Automatic Updates:

1. Click the Start Button (located on the lower left corner)
2. Click Computer
3. Under Hard Disk Drives, click Local Disk (C:) to open Windows Explorer

   Hard Disk Drives (2)

   Local Disk (C:)
   66.5 GB free of 146 GB

4. Click Program Files, then Java, then jre6, then bin

   Computer ▸ Local Disk (C:) ▸ Program Files ▸ Java ▸ jre6 ▸ bin ▸

   View   Tools   Help

   Include in library ▾   Share with ▾   Burn   New folder

Name	Date
client	5/21/
plugin2	5/21/
java.exe	5/21/
javacpl.exe	5/21/
java-rmi.exe	5/21/
javaw.exe	5/21/

5. Right-click on javacpl.exe, then select Run as Administrator

client	5/21/2012 1:1
plugin2	5/21/2012 1:1
java.exe	5/21/2012 1:1
javacpl.exe	5/21/2012 1:1
java-rmi.exe	
javaw.exe	
javaws.exe	
jbroker.exe	
jp2launcher.exe	

   Open
   Enable/Disable Digital Signature Icons
   Run as administrator
   Troubleshoot compatibility
   7-Zip ▸

6. Click the Update tab

7. Uncheck "Check for Updates Automatically"
8. You can also turn off the Mixed Code warning
9. Select the Advanced tab
10. Open the Security > Mixed code section

11. Select the Enable – hide warning and run with protections choice
12. Click OK
13. Close the Windows Explorer window.

How to Turn Off Java Updates Using the Command Line

1. Click the Start button

2. In the Search programs and files box, type
   c:\program files\java\jre\bin

3. Right-click javacpl.exe, select Run As administrator

4. Click the Update tab
5. Follow steps 7-12 as above

Change History

Date	Description	Changed By
22 June, 2012	Initial Document	Tim Haight
6 July, 2012	Added Run as Administrator, Run from command line section	Tim Haight
24 Oct, 2012	Added Mixed Code handling	MikeF